



BRANDFILTAR

En brandfilt är ett effektivt hjälpmedel för att förhindra att en liten brand utvecklas till en katastrof. Med en brandfilt kväver man snabbt och effektivt mindre bränder på vågräta ytor, på kläder, i sängar, över stekhällar och kokkärl, genom att man förhindrar att syret når branden.

Brandfilten är tillverkad i glasfiberväv som klarar temperaturer på över 500°C. Brandfilten har två stroppar som används för att dra ut filten ur förpackningen, vidare finns två handtag som underlättar placering av filten över brandhärden, för att man inte skall bränna sina händer eller riskera och få uppflammande lågor mot sig själv under själva brandbekämpningen.

Vid val av storlek, tänk på att en 120x120cm filt är för liten för att kväva eld på en persons kläder.

Brandfilten finns i två storlekar: 120 x 120cm och 120 x 180cm. Filten är förpackad i ett mjukt nylonfodral med en toppöljett för enkelt montage på en krok eller spik. Alternativt finns ett hårt fodral i PE med likande upphängningsfunktion.

Vi har två typer av filtar, en-lagers och silikonbelagd en-lagers. Den senare används med fördel om man vill slippa genomträngande rökgaser under själva brandbekämpningen.

Det är viktigt att inspektera filten årligen så att den inte är skadad eller saknas i sin förpackning.



ENLAGERS BRANDFILT I MJUK FÖRPACKNING

Filten är förpackad i ett mjukt nylonfodral med en toppöljett för enkelt montage på en krok eller spik. Lämpliga användningsområde är i: Kök, Fordon, Laboratorier, Skolor, Bostaden, Husvagnen, Fritidsbåten och Sommarstugan för att nämna några.



F1212S1

Brandfilten är 120 x 120cm för att kunna användas vid släckning av brand över materiel och utrustning.

F1218S1

Brandfilten är 120 x 180cm för att kunna användas vid släckning av brand på både personer och över materiel och utrustning.

Produktspecifikation

Art nr.	60202
EAN	7 332211 602029
Modell	F1212S1
Förpackning	10 eller 20st/kartong
Mått	150x225x35mm
Vikt	665gr
Material	3732 Glasfiberväv 0,43mm
Antal lager	1
Storlek på filt	120x120cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filten	EN, SE, NO, DK, FI

Produktspecifikation

Art nr.	60214
EAN	7 332211 602142
Modell	F1218S1
Förpackning	10 eller 20st/kartong
Mått	180x300x35mm
Vikt	1kg
Material	3732 Glasfiberväv 0,43mm
Antal lager	1
Storlek på filt	120x180cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filten	EN, SE, NO, DK, FI

ENLAGERS BRANDFILT I HÅRD FÖRPACKNING

Filten är förpackad i en hård plastförpackning (PE) som är lätt att torka av. Dolt montage på en krok eller spik. Lämpliga användningsområde är i: Kök, Garage, Sjukhus, Laboratorier, Skolor och Industri för att nämna några.



F1212H1

Brandfilten är 120 x 120cm för att kunna användas vid släckning av brand över materiel och utrustning.

F1218H1

Brandfilten är 120 x 180cm för att kunna användas vid släckning av brand på både personer och över materiel och utrustning.

Produktspecifikation

Art nr.	60204
EAN	7 332211 602043
Modell	F1212H1
Förpackning	10 eller 20st/kartong
Mått	175x205x45mm
Vikt	680gr
Material	3732 Glasfiberväv 0,43mm
Antal lager	1
Storlek på filt	120x120cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filten	EN, SE, NO, DK, FI

Produktspecifikation

Art nr.	60216
EAN	7 332211 602166
Modell	F1218H1
Förpackning	10 eller 20st/kartong
Mått	175x250x45mm
Vikt	1,20kg
Material	3732 Glasfiberväv 0,43mm
Antal lager	1
Storlek på filt	120x180cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filten	EN, SE, NO, DK, FI

SILIKONBELAGD ENLAGERS BRANDFILT I MJUK FÖRPACKNING

Filten är förpackad i ett mjukt nylonfodral med en toppöljett för enkelt montage på en krok eller spik. Lämpliga användningsområde är i: Kök, Fordon, Laboratorier, Skolor, Bostaden, Husvagnen, Fritidsbåten och Sommarstugan för att nämna några.



F1212SS1

Brandfilten är 120 x 120cm för att kunna användas vid släckning av brand över materiel och utrustning. Hög gastäthet då filten är silikonbelagd på en sida.

Produktspecifikation

Art nr.	60222
EAN	7 332211 602227
Modell	F1212SS1
Förpackning	10 eller 20st/kartong
Mått	150x225x35mm
Vikt	665gr
Material	3732 Glasfiberväv 0,43mm med ett lager silikon
Antal lager	1
Storlek på filt	120x120cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filten	EN, SE, NO, DK, FI

F1218SS1

Brandfilten är 120 x 180cm för att kunna användas vid släckning av brand på både personer och över materiel och utrustning. Hög gastäthet då filten är silikonbelagd på en sida.

Produktspecifikation

Art nr.	60232
EAN	7 332211 602326
Modell	F1218SS1
Förpackning	10 eller 20st/kartong
Mått	180x300x35mm
Vikt	1kg
Material	3732 Glasfiberväv 0,43mm med ett lager silikon
Antal lager	1
Storlek på filt	120x180cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filten	EN, SE, NO, DK, FI

SILIKONBELAGD ENLAGERS BRANDFILT I HÅRD FÖRPACKNING

Filten är förpackad i en hård plastförpackning (PE) som är lätt att torka av. Dolt montage på en krok eller spik. Lämpliga användningsområde är i: Kök, Garage, Sjukhus, Laboratorier, Skolor och Industri för att nämna några.



F1212HS1

Brandfilten är 120 x 120cm för att kunna användas vid släckning av brand över materiel och utrustning. Hög gastäthet då filtens är silikonbelagd på en sida.

F1218HS1

Brandfilten är 120 x 180cm för att kunna användas vid släckning av brand på både personer och över materiel och utrustning. Hög gastäthet då filtens är silikonbelagd på en sida.

Produktspecifikation

Art nr.	60224
EAN	7 332211 602241
Modell	F1212HS1
Förpackning	10 eller 20st/kartong
Mått	175x205x45mm
Vikt	680gr
Material	3732 Glasfiberväv 0,43mm med ett lager silikon
Antal lager	1
Storlek på filt	120x120cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filtens	EN, SE, NO, DK, FI

Produktspecifikation

Art nr.	60234
EAN	7 332211 602340
Modell	F1218HS1
Förpackning	10 eller 20st
Mått	175x250x45mm
Vikt	1,20kg
Material	3732 Glasfiberväv 0,43mm med ett lager silikon
Antal lager	1
Storlek på filt	120x180cm
Inspektionsintervall	Årligen
Godkänd enl. Europastandard	EN 1869:2019
Test institut	TÜV, 2020
Ursprungsland	Kina
Språk på filtens	EN, SE, NO, DK, FI



FIRE BLANKET

A fire blanket is an effective tool to prevent a small fire from developing into a disaster. A fire blanket quickly and effectively smothers small fires on horizontal surfaces, on clothing, in beds, over stoves and cooking pans, by preventing oxygen from reaching the fire.

The fire blanket is made of fiberglass fabric that can withstand temperatures of over 500°C. The fire blanket has two straps that are used to pull the blanket out of the packaging, and there are also two handles that make it easier to place the blanket over the fire, so that you don't burn your hands or risk catching flames on yourself while fighting the fire.

When choosing a size, keep in mind that a 120x120cm blanket is too small to smother a person's clothes on fire.

The fire blanket is available in two sizes: 120 x 120cm and 120 x 180cm. The blanket is packaged in a soft nylon case with a top eyelet for easy mounting on a hook or nail, or there is a hard PE case with a similar suspension function.

We have two types of blankets, single-layer and silicone-coated single-layer. The later is used with advantage if you want to avoid penetrating smoke gases during the actual firefighting.

It is important to inspect the blanket annually so that it is not damaged or missing from its packaging.



SINGLE-LAYER FIRE BLANKET IN SOFT PACKAGING

The blanket is packaged in a soft nylon case with a top eyelet for easy mounting on a hook or nail. Suitable areas of use are in: Kitchens, Vehicles, Laboratories, Schools, Homes, Caravans, Recreational Boats and Summer Cottages to name a few.



F1212S1

The fire blanket is 120 x 120cm to be used when extinguishing fires on materials and equipment.

F1218S1

The fire blanket is 120 x 180cm to be used when extinguishing fires on both people and on materials and equipment.

Product specification

Art no:	60202
EAN	7 332211 602029
Model	F1212S1
Packing	10 or 20pc/carton
Size	150x225x35mm
Weight	665gr
Material	3732 Fibre glass fabric 0,43mm
Number of layers	1
Size of blanket	120x120cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI

Product specification

Art no:	60214
EAN	7 332211 602142
Model	F1218S1
Packing	10 or 20pcs/carton
Size	180x300x35mm
Weight	1kg
Material	3732 Fibre glass fabric 0,43mm
Number of layers	1
Size of blanket	120x180cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI

SINGLE-LAYER FIRE BLANKET IN HARD PACKAGING

The blanket is packaged in a hard plastic packaging (PE) that is easy to wipe clean. Concealed mounting on a hook or nail. Suitable areas of use are: Kitchens, Garages, Hospitals, Laboratories, Schools and Industry to name a few.



F1212H1

The fire blanket is 120 x 120cm to be used when extinguishing fires on materials and equipment.

F1218H1

The fire blanket is 120 x 180cm to be used when extinguishing fires on both people and on materials and equipment.

Product specification

Art no:	60204
EAN	7 332211 602043
Model	F1212H1
Packing	10 or 20pcs/carton
Size	175x205x45mm
Weight	680gr
Material	3732 Fibre glass fabric 0,43mm
Number of layers	1
Size of blanket	120x120cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI

Product specification

Art no:	60216
EAN	7 332211 602166
Model	F1218H1
Packing	10 or 20pcs/carton
Size	175x250x45mm
Weight	1,20kg
Material	3732 Fibre glass fabric 0,43mm
Number of layers	1
Size of blanket	120x180cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI

SILICONE COATED SINGLE LAYER FIRE BLANKET IN SOFT PACKAGING

The blanket is packaged in a soft nylon case with a top eyelet for easy mounting on a hook or nail. Suitable areas of use are in: Kitchens, Vehicles, Laboratories, Schools, Homes, Caravans, Recreational Boats and Summer Cottages to name a few.



F1212SS1

The fire blanket is 120 x 120cm to be used when extinguishing fires over materials and equipment. Resists hot gases as the blanket is silicone coated on one side.

Product specification

Art no:	60222
EAN	7 332211 602227
Model	F1212SS1
Packing	10 or 20pc/carton
Size	150x225x35mm
Weight	665gr
Material	3732 Fibre glass fabric 0,43mm with one layer of silicone.
Number of layers	1
Size of blanket	120x120cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI

F1218SS1

The fire blanket is 120 x 180cm to be used when extinguishing fires on both people and over materials and equipment. Resists hot gases as the blanket is silicone coated on one side.

Product specification

Art no:	60232
EAN	7 332211 602326
Model	F1218SS1
Packing	10 or 20pc/carton
Size	180x300x35mm
Weight	1kg
Material	3732 Fibre glass fabric 0,43mm with one layer of silicone.
Number of layers	1
Size of blanket	120x180cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI

SILICONE COATED SINGLE LAYER FIRE BLANKET IN HARD PACKAGING

The blanket is packaged in a hard plastic packaging (PE) that is easy to wipe clean. Concealed mounting on a hook or nail. Suitable areas of use are: Kitchens, Garages, Hospitals, Laboratories, Schools and Industry to name a few.



F1212HS1

The fire blanket is 120 x 120cm to be used when extinguishing fires over materials and equipment. Resists hot gases as the blanket is silicone coated on one side.

F1218HS1

The fire blanket is 120 x 180cm to be used when extinguishing fires on both people and over materials and equipment. Resists hot gases as the blanket is silicone coated on one side.

Product specification

Art no:	60224
EAN	7 332211 602241
Model	F1212HS1
Packing	10 or 20pc/carton
Size	175x205x45mm
Weight	680gr
Material	3732 Fibre glass fabric 0,43mm with one layer of silicone.
Number of layers	1
Size of blanket	120x120cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI

Product specification

Art no:	60234
EAN	7 332211 602340
Model	F1218HS1
Packing	10 or 20pc/carton
Size	175x250x45mm
Weight	1,20kg
Material	3732 Fibre glass fabric 0,43mm with one layer of silicone.
Number of layers	1
Size of blanket	120x180cm
Inspection interval	Annually
Approved against	EN 1869:2019
Test institute	TÜV, 2020
Country of origin	China
Language on the blanket	EN, SE, NO, DK, FI